› Instructions

Thule Caprock rail mount 181003




THULE GUARANTEE
THULE.COM

5564361001

Bring your life
thule.com

MITSUBISHI L200 Double Cab (Mk.V) 4-dr Pickup, 15-23
MITSUBISHI Triton Double Cab (Mk.V) 4-dr Pickup, 15-23
FIAT Fullback Double Cab (Mk.I) 4-dr Pickup, 15-


5.6 kg
12.4 lbs


Instructions
Thule Caprock rail mount




Instructions
Thule Caprock



Safety



x 1



x 1

x 16


x 12

6 mm
1/4 "



x 1



x 1





=
Max
100 Kg /220 lbs

1







A




B







C



2




3





x 4




4









5









6




x 12






7

x 12




15 Nm





x 12

8











15 Nm



15 Nm



Thule Sweden AB. Borggatan 5, 335 73 Hillerstorp, SWEDEN
info@thule.com | *www.thule.com*

Thule Inc. 42 Silvermine Road, Seymour, CT 06483
Thule Canada Inc. 710 Bernard, Granby QC J2J 0H6
North American Consumer Service:
Toll Free 800-238-2388, Fax 450-777-3615
www.thule.com

Register online at:
www.thule.com/register

© Thule Group. All rights reserved.
5564361001 | 2024-12-20 #00

» PART OF THULE GROUP